

XACX8.E326354 Temperature-sensing Controls Certified for Canada - Component

[Page Bottom](#)

Temperature-sensing Controls Certified for Canada - Component

[See General Information for Temperature-sensing Controls Certified for Canada - Component](#)

TMC SENSORTECHNIK GMBH
WESTLICHE GEWERBESTRASSE 3
75015 BRETTEEN, GERMANY

E326354

Ratings						
Model	Type of Action	Software Class	Input Supply (V, A, Hz)	Output(s) (V, A, Hz, (Type of Load), Cycles, T Rating)	Signal/Communication	Opening/Closing Temp Rating, °C
Electromechanical temperature limiter						
C1	2.M (UL 60730-1A and UL 60730-2-9)3.C (UL 60730-2-2)	n/a	n/a	250 V, 1.9 A, 50/60 Hz, (resistive), 10K cycles, 70T180250 V, 1.9 A, 50/60 Hz, (inductive), 10K cycles, 70T180	n/a	70-180
C4	2.M (UL 60730-1A and UL 60730-2-9)3.C (UL 60730-2-2)	n/a	n/a	250 V, 1.9 A, 50/60 Hz, (resistive), 10K cycles, 70T180250 V, 1.9 A, 50/60 Hz, (inductive), 10K cycles, 70T180	n/a	70-180
C8	2.M (UL 60730-1A and UL 60730-2-9)3.C (UL 60730-2-2)	n/a	n/a	250 V, 4.8 A, 50/60 Hz, (resistive), 10K cycles, 70T180250 V, 4.8 A, 50/60 Hz, (inductive), 10K cycles, 70T180	n/a	70-180
Electromechanical Non-Self Resetting Thermal Cut-Outs						
R1	2.C.M (UL 60730-1 and UL 60730-2-9)	n/a	n/a	250 V, 6.3 A, 50/60Hz, (resistive), 6K cycles, max T160C 250 V, 6.3 FLA / 37.8 LRA, 50/60Hz, (motor), 6K cycles, max T160C	n/a	70-160 opening range
R4	2.C.M (UL 60730-1 and UL 60730-2-9)	n/a	n/a	250 V, 6.3 A, 50/60Hz, (resistive), 6K cycles, max T160C 250 V, 6.3 FLA / 9.45 LRA, 50/60Hz, (motor), 6K cycles, max T160C	n/a	70-160 opening range
R8	2.C.M (UL 60730-1 and UL 60730-2-9)	n/a	n/a	250 V, 6.3 A, 50/60Hz, (resistive), 6K cycles, max T160C 250 V, 6.3 FLA / 37.8 LRA, 50/60Hz, (motor), 6K cycles, max T160C	n/a	70-160 opening range
Thermal Cut-Out						
Series F1	2.B (UL60730-1 and UL60730-2-9)	n/a	n/a	240V, 0.2 A, 50-60Hz, resistive, 10K cycles, max. T155C	n/a	60-155 opening range

Marking: Company name, model designation and the Recognized Component Mark for Canada  .

[Last Updated](#) on 2011-05-25

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".